

DDDDDDDDDDDDDD		CCCCCCCCCCCC	LLL
DDDDDDDDDDDDDD		CCCCCCCCCCCC	LLL
DDDDDDDDDDDDDD		CCCCCCCCCCCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDD	DDD	CCC	LLL
DDDDDDDDDDDDDD		CCCCCCCCCCCC	LLLLLLLLLLLLLLLL
DDDDDDDDDDDDDD		CCCCCCCCCCCC	LLLLLLLLLLLLLLLL
DDDDDDDDDDDDDD		CCCCCCCCCCCC	LLLLLLLLLLLLLLLL


```
0000 1      .TITLE CLISGLOBALS - DEFINE CLI GLOBAL SYMBOLS
0000 2      .IDENT 'V04-000'
0000 3
0000 4
0000 5 *****
0000 6
0000 7      *
0000 8      * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 9      * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 10     * ALL RIGHTS RESERVED.
0000 11     *
0000 12     * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 13     * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 14     * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 15     * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 16     * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 17     * TRANSFERRED.
0000 18     *
0000 19     * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 20     * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 21     * CORPORATION.
0000 22     *
0000 23     * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 24     * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 25     *
0000 26     *****
0000 27
0000 28
0000 29     ++
0000 30     ++ FACILITY:      CLI
0000 31
0000 32     ++ ABSTRACT:      CLI symbols which are defined globally in STARLET.OLB.
0000 33
0000 34     ++ AUTHOR:        Tim Halvorsen, March 1981
0000 35
0000 36     ++ MODIFIED BY:
0000 37
0000 38     ++ V03-001 PCG0001      Peter George      17-Feb-1983
0000 39     ++ Remove reference to $CLIDEFQUALEXAM
0000 40     ++
0000 41
0000 42     $CLIDEF      GLOBAL      ; CLI callback request definitions
0000 43     $CLIVERBDEF  GLOBAL      ; CLI generic verb type codes
0000 44     $CLIMSGDEF   GLOBAL      ; CLI message definitions
0000 45
0000 46     .END
```

CLISGLOBALS
Symbol table

- DEFINE CLI GLOBAL SYMBOLS

N 4

15-SEP-1984 23:38:46 VAX/VMS Macro V04-00
4-SEP-1984 23:39:24 [DCL.SRC]CLIGBL.MAR;1Page 2
(1)

CLISA_ABSACT	= 00000014	G
CLISA_ERRACT	= 00000004	G
CLISA_FLSACT	= 00000010	G
CLISA_IMGFILED	= 00000010	G
CLISA_IMGHDADR	= 0000000C	G
CLISA_PROGXFER	= 00000004	G
CLISA_PRSACT	= 00000010	G
CLISA_QDVALADR	= 00000008	G
CLISA_QUALST	= 00000018	G
CLISA_RQADDR	= 0000000C	G
CLISA_TRUACT	= 0000000C	G
CLISA_UTILSERV	= 00000008	G
CLISB_BITNUM	= 00000001	G
CLISB_EFN	= 00000038	G
CLISB_FLAGS	= 00000004	G
CLISB_QDBLKSIZ	= 00000000	G
CLISB_QDCODE	= 00000001	G
CLISB_QDFLGS	= 00000002	G
CLISB_QDSTAT	= 00000003	G
CLISB_RQFLGS	= 00000002	G
CLISB_RQINDX	= 00000001	G
CLISB_RQSTAT	= 00000003	G
CLISB_RQTYPE	= 00000000	G
CLISB_VERSION	= 00000039	G
CLISC_QDBITS	= 00000014	G
CLISC_QUALDEF	= 00000014	G
CLISC_REQDESC	= 0000001C	G
CLISC_SPAWN_VERSION	= 00000001	G
CLISC_SRVDESC	= 00000054	G
CLISC_WORKAREA	= 00000080	G
CLISK_ASCIIVAL	= 00000041	G
CLISK_CLINT	= 00000005	G
CLISK_CLISERV	= 00000005	G
CLISK_DCLPARSE	= 00000053	G
CLISK_DISPATCH	= 00000054	G
CLISK_ENDPARSE	= 00000052	G
CLISK_ENDPRM1	= 00000030	G
CLISK_ENDPRM2	= 00000031	G
CLISK_ENDPRM3	= 00000032	G
CLISK_ENDPRM4	= 00000033	G
CLISK_FILSPEC	= 00000044	G
CLISK_GETCMD	= 00000001	G
CLISK_GETLINE	= 00000004	G
CLISK_GETOPT	= 00000003	G
CLISK_GETQUAL	= 00000002	G
CLISK_GETVALUE	= 00000051	G
CLISK_INITPRS	= 00000000	G
CLISK_INPSPEC	= 00000001	G
CLISK_INPUT1	= 00000010	G
CLISK_INPUT2	= 00000011	G
CLISK_INPUT3	= 00000012	G
CLISK_INPUT4	= 00000013	G
CLISK_KEYVAL	= 00000043	G
CLISK_KEYWORD	= 00000042	G
CLISK_NEXTQUAL	= 00000055	G
CLISK_NUMERVAL	= 00000040	G
CLISK_OUTPUT1	= 00000020	G

CLISK_OUTPUT2	= 00000021	G
CLISK_OUTPUT3	= 00000022	G
CLISK_OUTPUT4	= 00000023	G
CLISK_OUTSPEC	= 00000002	G
CLISK_PARDONE	= 00000003	G
CLISK_PRESENT	= 00000050	G
CLISK_QDBITS	= 00000014	G
CLISK_QUALDEF	= 00000014	G
CLISK_REQDESC	= 0000001C	G
CLISK_SPAWN_VERSION	= 00000001	G
CLISK_SRVDESC	= 00000054	G
CLISK_UTILOPR	= 00000000	G
CLISK_VALCONV	= 00000004	G
CLISK_VERB_ALLO	= 00000001	G
CLISK_VERB_ANAL	= 00000002	G
CLISK_VERB_APPE	= 0000002F	G
CLISK_VERB_ASSI	= 00000003	G
CLISK_VERB_BASI	= 00000004	G
CLISK_VERB_BLIS	= 00000005	G
CLISK_VERB_CANC	= 00000033	G
CLISK_VERB_COBO	= 00000006	G
CLISK_VERB_CONT	= 00000007	G
CLISK_VERB_COPY	= 00000008	G
CLISK_VERB_CORA	= 00000038	G
CLISK_VERB_CREA	= 00000009	G
CLISK_VERB_DATA	= 0000000A	G
CLISK_VERB_DEAL	= 0000000B	G
CLISK_VERB_DEAS	= 0000000C	G
CLISK_VERB_DEBU	= 0000000D	G
CLISK_VERB_DEFI	= 0000000E	G
CLISK_VERB_DELE	= 0000000F	G
CLISK_VERB_DEPO	= 00000010	G
CLISK_VERB_DIFF	= 00000011	G
CLISK_VERB_DIRE	= 00000012	G
CLISK_VERB_DISM	= 00000013	G
CLISK_VERB_DUMP	= 00000030	G
CLISK_VERB_EDIT	= 00000014	G
CLISK_VERB_EOD	= 00000015	G
CLISK_VERB_EXAM	= 00000016	G
CLISK_VERB_EXIT	= 00000017	G
CLISK_VERB_FORE	= 000000FF	G
CLISK_VERB_FORT	= 00000018	G
CLISK_VERB_GOTO	= 00000019	G
CLISK_VERB_HELP	= 0000001A	G
CLISK_VERB_IF	= 0000001B	G
CLISK_VERB_INIT	= 0000001C	G
CLISK_VERB_INQU	= 0000001D	G
CLISK_VERB_LIBR	= 00000034	G
CLISK_VERB_LINK	= 0000001E	G
CLISK_VERB_LOGO	= 0000001F	G
CLISK_VERB_MACR	= 00000020	G
CLISK_VERB_MCR	= 00000021	G
CLISK_VERB_MESS	= 0000003B	G
CLISK_VERB_MOUN	= 0000002B	G
CLISK_VERB_ON	= 00000022	G
CLISK_VERB_PASC	= 00000039	G
CLISK_VERB_PATC	= 0000002C	G

CLISGLOBALS
Symbol table

- DEFINE CLI GLOBAL SYMBOLS

B 5

15-SEP-1984 23:38:46 VAX/VMS Macro V04-00
4-SEP-1984 23:39:24 [DCL.SRC]CLIGBL.MAR;1Page 3
(1)

```
CLISK_VERB_PLI      = 0000003A  G
CLISK_VERB_PRIN     = 00000023  G
CLISK_VERB_PURG     = 00000031  G
CLISK_VERB_RENA     = 00000032  G
CLISK_VERB_REPL     = 00000020  G
CLISK_VERB_REQU     = 00000036  G
CLISK_VERB_RUN      = 00000024  G
CLISK_VERB_SET      = 00000025  G
CLISK_VERB_SHOW     = 00000026  G
CLISK_VERB_SORT     = 00000035  G
CLISK_VERB_STAR     = 00000027  G
CLISK_VERB_STOP     = 00000028  G
CLISK_VERB_SUBM     = 00000029  G
CLISK_VERB_SYNC     = 00000037  G
CLISK_VERB_TYPE     = 0000002A  G
CLISK_VERB_UNLO     = 0000002E  G
CLISK_WORKAREA     = 00000080  G
CLISL_ARGLIST      = 0000001C  G
CLISL_ASTADR       = 00000030  G
CLISL_ASTPRM       = 00000034  G
CLISL_ATTR         = 00000020  G
CLISL_CLIFLAG      = 00000018  G
CLISL_INIARGCNT    = 00000000  G
CLISL_ITMLST       = 0000001C  G
CLISL_LINKFLAG     = 00000014  G
CLISL_LSTSTATUS    = 0000000C  G
CLISL_NEW_MASK     = 00000004  G
CLISL_OLD_MASK     = 00000008  G
CLISL_OUTPID       = 00000008  G
CLISL_PID          = 00000004  G
CLISL_RQVALU       = 0000000C  G
CLISL_USRVAL       = 00000014  G
CLISL_WORKAREA     = 00000000  G
CLISM_ABSADR       = 00000002  G
CLISM_ALLOCCUR     = 00000001  G
CLISM_BATCH        = 00000008  G
CLISM_CONCATINP    = 00000002  G
CLISM_DBGEXCP      = 00010000  G
CLISM_DBGTRU       = 00000002  G
CLISM_DEBUG        = 00000001  G
CLISM_DUMMY        = 00000002  G
CLISM_EXPNAM       = 00000004  G
CLISM_INDIRECT     = 00000010  G
CLISM_KEYVALU      = 00000002  G
CLISM_LASTVAL      = 00000001  G
CLISM_MOREINP      = 00000004  G
CLISM_MOREVALS     = 00000001  G
CLISM_NOCLISYM     = 00000002  G
CLISM_NOCONTROL    = 00000020  G
CLISM_NOKEYPAD     = 00000008  G
CLISM_NOLOGNAM     = 00000004  G
CLISM_NOTIFY       = 00000010  G
CLISM_NOWAIT       = 00000001  G
CLISM_PARMDEF      = 00000008  G
CLISM_PARMPRS      = 00000001  G
CLISM_PARMREQ      = 00000001  G
CLISM_QDEXPA       = 00000004  G
```

```
CLISM_QDUSRV       = 00000002  G
CLISM_QUALEXP      = 00000002  G
CLISM_QUALTRU      = 00000001  G
CLISM_TRMVRBLV     = 00000300  G
CLISM_VERIFY       = 00000004  G
CLISM_VFYINP       = 00000020  G
CLISQ_CLI          = 00000044  G
CLISQ_CMDSTR       = 00000010  G
CLISQ_INPUT        = 00000018  G
CLISQ_NAMDESC      = 00000004  G
CLISQ_OUTPUT       = 00000020  G
CLISQ_PRCNAM       = 00000028  G
CLISQ_PROMPT       = 0000003C  G
CLISQ_QDVALDESC    = 00000004  G
CLISQ_RQDESC       = 00000008  G
CLISQ_TABDESC      = 00000014  G
CLISQ_TABLE        = 0000004C  G
CLISQ_VALDESC      = 0000000C  G
CLISS_CLI          = 00000008  G
CLISS_CLIDEF       = 00000020  G
CLISS_CLIDEF1      = 0000001C  G
CLISS_CLIDEF2      = 00000024  G
CLISS_CLIDEF3      = 0000000C  G
CLISS_CLIDEF4      = 00000008  G
CLISS_CLIDEF5      = 00000054  G
CLISS_CLIDEF6      = 00000018  G
CLISS_CLIDEF7      = 00000080  G
CLISS_CMDSTR       = 00000008  G
CLISS_INPUT        = 00000008  G
CLISS_NAMDESC      = 00000008  G
CLISS_OUTPUT       = 00000008  G
CLISS_PRCNAM       = 00000008  G
CLISS_PRITYP       = 00000004  G
CLISS_PROMPT       = 00000008  G
CLISS_QDVALDESC    = 00000008  G
CLISS_RQDESC       = 00000008  G
CLISS_SUBTYP       = 00000004  G
CLISS_TABDESC      = 00000008  G
CLISS_TABLE        = 00000008  G
CLISS_TRMVRBLV     = 00000002  G
CLISS_VALDESC      = 00000008  G
CLISS_WORKAREA     = 00000080  G
CLISV_ABSADR       = 00000001  G
CLISV_ALLOCCUR     = 00000000  G
CLISV_BATCH        = 00000003  G
CLISV_CONCATINP    = 00000001  G
CLISV_DBGEXCP      = 00000010  G
CLISV_DBGTRU       = 00000001  G
CLISV_DEBUG        = 00000000  G
CLISV_DUMMY        = 00000001  G
CLISV_EXPNAM       = 00000002  G
CLISV_INDIRECT     = 00000004  G
CLISV_KEYVALU      = 00000001  G
CLISV_LASTVAL      = 00000000  G
CLISV_MOREINP      = 00000002  G
CLISV_MOREVALS     = 00000000  G
CLISV_NOCLISYM     = 00000001  G
```


CLISGLOBALS
Symbol table

- DEFINE CLI GLOBAL SYMBOLS

C 5

15-SEP-1984 23:38:46 VAX/VMS Macro V04-00
4-SEP-1984 23:39:24 [DCL.SRC]CLIGBL.MAR;1Page 4
(1)

CLISV_NOCONTROL	= 00000005	G
CLISV_NOKEYPAD	= 00000003	G
CLISV_NOLOGNAM	= 00000002	G
CLISV_NOTIFY	= 00000004	G
CLISV_NOWAIT	= 00000000	G
CLISV_PARMDEF	= 00000003	G
CLISV_PARMPRS	= 00000000	G
CLISV_PARMREQ	= 00000000	G
CLISV_PRITYP	= 00000004	G
CLISV_QDEXPA	= 00000002	G
CLISV_QDUSRV	= 00000001	G
CLISV_QUALEXP	= 00000001	G
CLISV_QUALTRU	= 00000000	G
CLISV_SUBTYP	= 00000000	G
CLISV_TRMVRBLV	= 00000008	G
CLISV_VERIFY	= 00000002	G
CLISV_VFYINP	= 00000005	G
CLISW_QDVALSIZ	= 00000004	G
CLISW_RQSIZE	= 00000008	G
CLISW_SERVCOD	= 00000001	G
CLIS_ABFNAM	= 000381B8	G
CLIS_ABKEYW	= 00038010	G
CLIS_ABSENT	= 000381F0	G
CLIS_ABSYMD	= 000381A0	G
CLIS_ABVERB	= 00038008	G
CLIS_ALLOC	= 0003DD3	G
CLIS_ARGREQ	= 00038268	G
CLIS_ASTDCL	= 00038220	G
CLIS_ATTACHED	= 0003FD09	G
CLIS_BADBLK	= 000381D8	G
CLIS_BADCTLMSK	= 000388CA	G
CLIS_BADRET	= 00038198	G
CLIS_BADSTRLVL	= 000388BA	G
CLIS_BADTEXT	= 000381B0	G
CLIS_BLKOVRFLOW	= 000381C8	G
CLIS_BLKUNDFLOW	= 000381D0	G
CLIS_BUFOVF	= 00038018	G
CLIS_CMDFILERR	= 000382A8	G
CLIS_CMDGONE	= 00038902	G
CLIS_CMDNOTFND	= 00038238	G
CLIS_CMDSEG	= 00038248	G
CLIS_COMMA	= 0003FD39	G
CLIS_COMPLX	= 00038020	G
CLIS_CONCAT	= 0003FD29	G
CLIS_CONFLICT	= 00038258	G
CLIS_CONFQUAL	= 00038802	G
CLIS_CREQUEJOB	= 0003884A	G
CLIS_DEFAULTED	= 0003FD21	G
CLIS_DEFKEY	= 0003DDC3	G
CLIS_DEFOVF	= 00038028	G
CLIS_DELKEY	= 0003DDCB	G
CLIS_DELSYM	= 0003DE23	G
CLIS_DEVALSPL	= 0003885A	G
CLIS_DEVNOTFOR	= 0003887A	G
CLIS_DEVNOTSPL	= 00038862	G
CLIS_DIRECT	= 00038030	G
CLIS_ENTNF	= 00038932	G

CLIS_EXPSYN	= 00038038	G
CLIS_FACILITY	= 00000003	G
CLIS_FILOPN	= 00038190	G
CLIS_IGNQUAL	= 0003DE03	G
CLIS_ILLVAL	= 0003883A	G
CLIS_IMAGEFNF	= 000388B2	G
CLIS_IMCHNG	= 00038040	G
CLIS_IMGFNF	= 00038872	G
CLIS_IMGNAME	= 000388AA	G
CLIS_INSFPRM	= 00038048	G
CLIS_INSPRIV	= 0003DDF3	G
CLIS_INVFILSPE	= 00038200	G
CLIS_INVKEY	= 00038178	G
CLIS_INVLOGFIL	= 00038208	G
CLIS_INVQUAL	= 0003880A	G
CLIS_INVQUALNUM	= 0003881A	G
CLIS_INVRANGE	= 00038228	G
CLIS_INVREQTYP	= 00038822	G
CLIS_INVRFM	= 000388D2	G
CLIS_INVROUT	= 00038912	G
CLIS_INVRSP	= 00038180	G
CLIS_INVTAB	= 00038922	G
CLIS_INVUIC	= 000381A8	G
CLIS_IVATIME	= 00038290	G
CLIS_IVCHAR	= 00038050	G
CLIS_IVDEVTYPE	= 0003886A	G
CLIS_IVDIME	= 00038298	G
CLIS_IVFNAM	= 000381C0	G
CLIS_IVKEYNAM	= 00038280	G
CLIS_IVKEYW	= 00038060	G
CLIS_IVOPER	= 00038068	G
CLIS_IVPROT	= 00038070	G
CLIS_IVQLOC	= 00038078	G
CLIS_IVQUAL	= 00038240	G
CLIS_IVSYMB	= 00038080	G
CLIS_IVVALU	= 00038088	G
CLIS_IVVERB	= 00038090	G
CLIS_KEYCNV	= 0003DE33	G
CLIS_LOCNEG	= 00038230	G
CLIS_LOCPRES	= 0003FD31	G
CLIS_MAXPARM	= 00038098	G
CLIS_NEGATED	= 000381F8	G
CLIS_NOATFIL	= 000380A0	G
CLIS_NOCCAT	= 000380A8	G
CLIS_NOCHANGE	= 000381E8	G
CLIS_NOCLINT	= 000388DA	G
CLIS_NOCMDPROC	= 0003890A	G
CLIS_NOCMD	= 000380B0	G
CLIS_NODIRCHG	= 0003DDFB	G
CLIS_NOKEYW	= 000380B8	G
CLIS_NOLBLS	= 000381E0	G
CLIS_NOLIST	= 000380C0	G
CLIS_NOOPTPRS	= 00038842	G
CLIS_NOPAREN	= 00038288	G
CLIS_NOQUAL	= 000380C8	G
CLIS_NORMAL	= 00030001	G
CLIS_NOSPAWN	= 000388E2	G

CLISGLOBALS
Symbol table

- DEFINE CLI GLOBAL SYMBOLS

D 5

15-SEP-1984 23:38:46 VAX/VMS Macro V04-00
4-SEP-1984 23:39:24 [DCL.SRC]CLIGBL.MAR;1Page 5
(1)

CLIS_NOTDISCON	= 0003892A	G
CLIS_NOTFR	= 0003889A	G
CLIS_NOTHEN	= 00038210	G
CLIS_NOTIFY	= 00038250	G
CLIS_NOTNEG	= 000380D8	G
CLIS_NOVALU	= 000380D0	G
CLIS_NOVALUE	= 0003882A	G
CLIS_NULFIL	= 000380E0	G
CLIS_NUMBER	= 000380E8	G
CLIS_OKTAB	= 0003FD41	G
CLIS_OLDTAB	= 0003891A	G
CLIS_ONCMD	= 000380F0	G
CLIS_ONERR	= 000380F8	G
CLIS_ONEVAL	= 00038158	G
CLIS_ONLEVL	= 00038100	G
CLIS_ONOVF	= 00038108	G
CLIS_OVRFLW	= 00038160	G
CLIS_PARMDEL	= 00038110	G
CLIS_PRESENT	= 0003FD19	G
CLIS_PROC_ID	= 0003FFF1	G
CLIS_PWDLOCKED	= 00038892	G
CLIS_PWDNOTVAL	= 00038882	G
CLIS_PWDNOTVER	= 0003888A	G
CLIS_PWDSYNTAX	= 000388A2	G
CLIS_QUEJOBCE	= 0003FFF9	G
CLIS_REFUSED	= 000388C2	G
CLIS_REQPRMABS	= 00038812	G
CLIS_RETURNED	= 0003FD11	G
CLIS_RSLOVF	= 00038118	G
CLIS_SETKEY	= 0003DDD3	G
CLIS_SKPDAT	= 00038120	G
CLIS_SPARE	= 00038058	G
CLIS_SPARE1	= 0003DDDB	G
CLIS_SPAWNED	= 0003FD01	G
CLIS_SPWNIO	= 000388EA	G
CLIS_STKOVF	= 00038128	G
CLIS_STRTOOLNG	= 000388FA	G
CLIS_SUBMITERR	= 00038852	G
CLIS_SUPERSEDE	= 0003DDEB	G
CLIS_SYMABR	= 00038278	G
CLIS_SYMDEL	= 00038130	G
CLIS_SYMLNG	= 00038270	G
CLIS_SYMOVF	= 00038138	G
CLIS_SYMTOOLNG	= 00038218	G
CLIS_SYMTRUNC	= 0003DE2B	G
CLIS_TABEXIST	= 0003DE0B	G
CLIS_TABNOTFND	= 0003DE1B	G
CLIS_TABSUPER	= 0003DE13	G
CLIS_TKNOVF	= 000382A0	G
CLIS_TRMMBX	= 000388F2	G
CLIS_UNDFIL	= 00038188	G
CLIS_UNDKEY	= 00038260	G
CLIS_UNDSYM	= 00038140	G
CLIS_UNPROPARM	= 00038170	G
CLIS_UNPROQUAL	= 00038168	G
CLIS_UPGTAB	= 0003FD49	G
CLIS_USGOTO	= 00038148	G

CLIS_VALCNVERR
CLIS_VALREQ= 00038832 G
= 00038150 G

+-----+
! Psect synopsis !
+-----+

PSECT name	Allocation	PSECT No.	Attributes															
ABS	00000000 (0.)	00 (0.)	NOPIC	USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE					
\$ABSS	00000000 (0.)	01 (1.)	NOPIC	USR	CON	ABS	LCL	NOSHR	EXE	RD	WRT	NOVEC	BYTE					

+-----+
! Performance indicators !
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	17	00:00:00.08	00:00:01.20
Command processing	100	00:00:00.70	00:00:06.30
Pass 1	160	00:00:04.02	00:00:14.96
Symbol table sort	0	00:00:00.56	00:00:02.16
Pass 2	34	00:00:00.67	00:00:04.56
Symbol table output	44	00:00:00.31	00:00:00.88
Psect synopsis output	2	00:00:00.03	00:00:00.07
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	357	00:00:06.37	00:00:30.13

The working set limit was 1050 pages.
19158 bytes (38 pages) of virtual memory were used to buffer the intermediate code.
There were 30 pages of symbol table space allocated to hold 401 non-local and 0 local symbols.
46 source lines were read in Pass 1, producing 27 object records in Pass 2.
10 pages of virtual memory were used to define 9 macros.

+-----+
! Macro library statistics !
+-----+

Macro library name	Macros defined
\$255\$DUA28:[SYSLIB]SYSBLDMLB.MLB;1	0
\$255\$DUA28:[DCL.OBJ]DCL.MLB;1	1
\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	0
\$255\$DUA28:[SYSLIB]STARLET.MLB;2	5
TOTALS (all libraries)	6

473 GETS were required to define 6 macros.

There were no errors, warnings or information messages.

MACRO/DISABLE=TRACE/LIS=LISS:CLIGBL/OBJ=OBJ\$:CLIGBL MSRC\$:CLIGBL/UPDATE=(ENH\$:CLIGBL)+EXECML\$/LIB+LIB\$:DCL/LIB+SYSS\$LIBRARY:SYSBLDMLB

0069 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

INTDEF
SOL

COMMAND
LIS

DESCRVAL
LIS

CLIMAC
MAR

CLIMSG
LIS

CONNECT
LIS

DCLPARSE
LIS

CHARMANIP
LIS

EXAMDEP
LIS

EXIT
LIS

INTIMAGES
MAR

DCXSTART
LIS

CLIGBL
LIS

DISALLOW
LIS

CLINT
LIS

CANCEL
LIS